



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/591,888	06/09/2000	Anand G. Dabak	TI-29324	4728

7590 06/18/2004

Ronald O Neerings Esq
Texas Instruments Incorporated
P O Box 655474 MS 3999
Dallas, TX 75265

EXAMINER

RYMAN, DANIEL J

ART UNIT	PAPER NUMBER
----------	--------------

2665

DATE MAILED: 06/18/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/591,888

Applicant(s)

DABAK, ANAND G.

Examiner

Daniel J. Ryman

Art Unit

2665

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 June 2000.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-34 and 47-56 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-34 and 47-56 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.
2. Applicant's arguments, see Amendment B, filed 6/2/2004, with respect to the rejection(s) of claim(s) 1-34 under Applicant's admitted prior art in view of Minn et al (USPN 6,088,347) and claim(s) 47-56 under 35 U.S.C. 112, first paragraph, have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Scott et al. (USPN 6,154,486) and De Gaudenzi et al. (USPN 6,466,566).

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1, 8, 9, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's admitted prior art in view of Scott et al. (USPN 6,154,486).
5. Regarding claims 1 and 20, Applicant admits as prior art a method of operating a wireless communications unit to request a connection with a base station and a unit for performing the method (page 2, line 12-page 4, line 5), comprising the steps of and means for: receiving, from the base station, a signal indicating at least one time slot within which a preamble may be transmitted by the wireless communications unit (page 2, line 12-page 4, line 5); selecting one of

Art Unit: 2665

a plurality of orthogonal codes for the preamble (page 2, line 12-page 4, line 5); generating a spread code using the selected orthogonal code (page 2, line 12-page 4, line 5); and transmitting, to the base station, a preamble signal corresponding to the spread code (page 2, line 12-page 4, line 5). Applicant does not admit as prior art that the spread code is arranged as a symbol of the selected code, repeated a selected number of repetitions. Scott teaches, in a wireless transmission system, arranging the spread code (preamble) as a symbol of a selected code, repeated a selected number of repetitions (col. 3, lines 58-60; col. 25, lines 33-44; and col. 51, lines 54-58) in order to provide a preamble code that allows for rapid synchronization at the receiver (col. 3, lines 4-7). It would have been obvious to one of ordinary skill in the art at the time of the invention to arrange the spread code as a symbol of the selected code, repeated a selected number of repetitions, in order to provide a preamble code that allows for rapid synchronization at the receiver.

6. Regarding claim 8, referring to claim 1, Applicant's admitted prior art in view of Scott discloses that the selecting step comprises executing a pseudo-random selection algorithm (Applicant: page 2, line 12-page 4, line 5).

7. Regarding claim 9, referring to claim 1, Applicant's admitted prior art in view of Scott discloses that the receiving step receives a signal indicating a plurality of time slots within which the preamble may be transmitted by the wireless communications unit (Applicant: page 2, line 12-page 4, line 5); and further comprising: selecting one of the plurality of time slots for transmission of the preamble (Applicant: page 2, line 12-page 4, line 5).

Art Unit: 2665

8. Claims 2-7, 21, 22, and 25-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's admitted prior art in view of Scott et al. (USPN 6,154,486) as applied to claims 1 and 20 above, and further in view of De Gaudenzi et al. (USPN 6,466,566).

9. Regarding claims 2 and 21, referring to claims 1 and 20, Applicant's admitted prior art in view of Scott does not expressly disclose after the step of generating a spread code, multiplying the spread code by scrambling code associated with the base station. De Gaudenzi teaches, in a wireless communication system, that many practical systems make use of sequences composed of a unique internal sequence and an external sequence (col. 7, lines 30-40) where it is implicit that the internal sequence (spread code) is used to identify the mobile unit and the external sequence is used to identify the base station. It would have been obvious to one of ordinary skill in the art at the time of the invention to after the step of generating a spread code, multiplying the spread code by scrambling code associated with the base station in order to have a way to identify the base station.

10. Regarding claim 3, referring to claim 2, Applicant's admitted prior art in view of Scott in further view of De Gaudenzi discloses that the spread code has a length corresponding to length of the scrambling code (De Gaudenzi: col. 7, lines 30-40).

11. Regarding claim 4, referring to claim 3, Applicant's admitted prior art in view of Scott in further view of De Gaudenzi discloses that the plurality of orthogonal codes corresponds to a set of Walsh Hadamard codes (De Gaudenzi: col. 7, lines 30-40).

12. Regarding claims 5 and 6, referring to claim 4, Applicant's admitted prior art in view of Scott in further view of De Gaudenzi does not expressly disclose that the set of Walsh Hadamard codes consists of the set of Walsh Hadamard codes having a length of sixteen; wherein the

Art Unit: 2665

generating step repeats a symbol of the Walsh Hadamard code 256 times or 240 times; and wherein the length of the scrambling code is 4096 chips or 3840 chips, respectively. Applicant's admitted prior art in view of Scott in further view of De Gaudenzi does disclose that the set of codes have a certain length (Scott: col. 3, lines 58-60; col. 25, lines 33-44; and col. 51, lines 54-58 and De Gaudenzi: col. 7, lines 30-40), that the scrambling code has a certain length (De Gaudenzi: col. 7, lines 30-40), and that the spread code and the scrambling code have equal length (De Gaudenzi: col. 7, lines 30-40). It is generally considered to be within the ordinary skill in the art to adjust, vary, select, or optimize the numerical parameters or values of any system absent a showing of criticality in a particular recited value. The burden of showing criticality is on applicant. In re Mason, 87 F.2d 370, 32 USPQ 242 (CCPA 1937); Marconi Wireless Telegraph Co. v. U.S., 320 U.S. 1, 57 USPQ 471 (1943); In re Schneider, 148 F.2d 108, 65 USPQ 129 (CCPA 1945); In re Aller, 220 F.2d 454, 105 USPQ 233 (CCPA 1055); In re Saether, 492 F.2d 849, 181 USPQ 36 (CCPA 1974); In re Antonie, 559 F.2d 618, 195 USPQ 6 (CCPA 1977); In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). Since Applicant's admitted prior art in view of Scott in further view of De Gaudenzi disclose that the set of codes have a certain length, that the scrambling code has a certain length, and that the spread code and the scrambling code have equal length, it would have been obvious to one of ordinary skill in the art at the time of the invention to use any length for the Hadamard codes, including sixteen, to use any length for the scrambling code, including 4096 and 3840, and to repeat the Hadamard code a number of times such that the Hadamard code and the spreading code are equal (here, 256 times or 240 times).

Art Unit: 2665

13. Regarding claims 7 and 22, referring to claims 1 and 20, Applicant's admitted prior art in view of Scott does not expressly disclose that the plurality of orthogonal codes corresponds to a set of Walsh Hadamard codes; however, Applicant's admitted prior art in view of Scott does disclose that a variety of different types of codes could be used (Scott: col. 3, lines 58-60; col. 25, lines 33-44; and col. 51, lines 54-58). De Gaudenzi teaches, in a wireless communication system, that it is well known to use Walsh-Hadamard codes as spreading codes (col. 7, lines 30-40). It would have been obvious to one of ordinary skill in the art at the time of the invention to have the plurality of orthogonal codes correspond to a set of Walsh Hadamard codes since Walsh Hadamard codes are well-known spread codes.

14. Regarding claim 25, Applicant admits as prior art a method of generating a preamble, comprising the steps of: selecting a first code from a plurality of orthogonal codes (page 2, line 12-page 4, line 5). Applicant does not admit as prior art repeating the first code a plurality of times to produce a spread code having a predetermined length. Scott teaches, in a wireless transmission system, repeating a first code a plurality of times to produce a spread code (preamble) having a predetermined length (col. 3, lines 58-60; col. 25, lines 33-44; and col. 51, lines 54-58) in order to provide a preamble code that allows for rapid synchronization at the receiver (col. 3, lines 4-7). It would have been obvious to one of ordinary skill in the art at the time of the invention to repeat the first code a plurality of times to produce a spread code having a predetermined length in order to provide a preamble code that allows for rapid synchronization at the receiver. Applicant's admitted prior art in view of Scott does not expressly disclose multiplying the spread code by a second code having the predetermined length. De Gaudenzi teaches, in a wireless communication system, that many practical systems make use of sequences

composed of a unique internal sequence and an external sequence where the internal and external sequences are of the same length (col. 7, lines 30-40) and where it is implicit that the internal sequence (spread code) is used to identify the mobile unit and the external sequence is used to identify the base station. It would have been obvious to one of ordinary skill in the art at the time of the invention to multiply the spread code (internal code) by a second code (external code) having the predetermined length in order to have a way to identify the base station.

15. Regarding claim 26, referring to claim 25, Applicant's admitted prior art in view of Scott in further view of De Gaudenzi discloses that the orthogonal codes are Walsh Hadamard codes corresponding to users in a wireless cell (De Gaudenzi: col. 7, lines 30-40).

16. Regarding claim 27, referring to claim 26, Applicant's admitted prior art in view of Scott in further view of De Gaudenzi discloses that the second code is a scrambling code corresponding to a wireless cell (De Gaudenzi: col. 7, lines 30-40).

17. Regarding claim 28, referring to claim 25, Applicant's admitted prior art in view of Scott in further view of De Gaudenzi discloses that a product of the plurality of orthogonal codes and the plurality of times the first code is repeated is equal to the predetermined length (De Gaudenzi: col. 7, lines 30-40).

18. Regarding claim 29, referring to claim 25, Applicant's admitted prior art in view of Scott in further view of De Gaudenzi does not expressly disclose that the set of orthogonal codes is sixteen, the plurality of times the first code is repeated is 256, and the predetermined length is 4096. Applicant's admitted prior art in view of Scott in further view of De Gaudenzi does disclose the use of orthogonal codes (Applicant's admitted prior art: page 2, line 12-page 4, line 5), that the first code is repeated (Scott: col. 3, lines 58-60; col. 25, lines 33-44; and col. 51, lines

Art Unit: 2665

54-58), and that there is a predetermined length (De Gaudenzi: col. 7, lines 30-40). It is generally considered to be within the ordinary skill in the art to adjust, vary, select, or optimize the numerical parameters or values of any system absent a showing of criticality in a particular recited value. The burden of showing criticality is on applicant. In re Mason, 87 F.2d 370, 32 USPQ 242 (CCPA 1937); Marconi Wireless Telegraph Co. v. U.S., 320 U.S. 1, 57 USPQ 471 (1943); In re Schneider, 148 F.2d 108, 65 USPQ 129 (CCPA 1945); In re Aller, 220 F.2d 454, 105 USPQ 233 (CCPA 1055); In re Saether, 492 F.2d 849, 181 USPQ 36 (CCPA 1974); In re Antonie, 559 F.2d 618, 195 USPQ 6 (CCPA 1977); In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). Since Applicant's admitted prior art in view of Scott in further view of De Gaudenzi discloses the use of a set of orthogonal codes, that the first code is repeated, and the use of a predetermined length, it would have been obvious to one of ordinary skill in the art at the time of the invention to use number of orthogonal codes, including sixteen, to repeat the code any number of times, including 256, and to have the predetermined length be any length, including 4096.

19. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's admitted prior art in view of Scott et al. (USPN 6,154,486) in further view of Miller (USPN 5,608,722).

20. Regarding claim 10, referring to claim 1, Applicant's admitted prior art in view of Scott suggests operating a base station to process the transmitted preamble, comprising the steps of: receiving the transmitted preamble (Scott: col. 26, lines 8-14); grouping corresponding bits from each of the repetitions of the symbol (Scott: col. 1, lines 41-50 and col. 26, lines 8-14), where, as broadly defined, the bits are processed according to the repetition; and correlating the recovered

Art Unit: 2665

symbol to identify the selected orthogonal code (Scott: col. 1, lines 41-50 and col. 26, lines 8-14). Applicant's admitted prior art in view of Scott does not expressly disclose de-interleaving bits from the spread code, to group corresponding bits from each of the repetitions of the symbol or despreading the grouped bits to recover a symbol. Miller teaches, in a wireless communication system, that it is well known to interleave bits upon transmission in order to guard against errors (col. 12, lines 11-26). It would have been obvious to one of ordinary skill in the art at the time of the invention to recover the original signal by reversing the process taken to transmit the signal. As such, it would have been obvious to one of ordinary skill in the art at the time of the invention to de-interleave bits from the spread code, to group corresponding bits from each of the repetitions of the symbol. Miller also teaches that it is well known to spread a signal by combining the signal with an external PN sequence in order to properly identify the base station (col. 10, lines 52-65; col. 11, lines 46-51; and col. 11, lines 57-62). Applicant's admitted prior art in view of Scott teaches despreading a received signal using a known PN sequence in order to recover the transmitted signal (Scott: col. 1, lines 43-46). It would have been obvious to one of ordinary skill in the art at the time of the invention to recover the original signal by reversing the process taken to transmit the signal. As such, it would have been obvious to one of ordinary skill in the art at the time of the invention to despread the grouped bits to recover a symbol.

21. Claims 11, 13-15, 17-19, and 47-56 are rejected under 35 U.S.C. 103(a) as being unpatentable over Scott et al. (USPN 6,154,486) in view of Miller (USPN 5,608,722).

22. Regarding claim 11, Scott discloses a method of operating a base station to recover a preamble code transmitted by a wireless unit, comprising the steps of: receiving a signal corresponding to a preamble (col. 1, lines 41-50 and col. 26, lines 8-14); arranging the signal into

a bitstream (col. 1, lines 41-50 and col. 26, lines 8-14) where it is implicit that the signal is handled as a sequence of bits; grouping corresponding bits from each of a plurality of repetitions of a symbol length, into a plurality of groups (col. 1, lines 41-50; col. 3, lines 58-60; col. 25, lines 33-44; col. 26, lines 8-14; and col. 51, lines 54-58) where, as broadly defined, the bitstream is handled according to the repetitions of the preamble; and correlating the sequence to identify a code, the code corresponding to one of a set of orthogonal codes (col. 26, lines 8-14). Scott does not expressly disclose de-interleaving bits from the bitstream, to group corresponding bits from each of a plurality of repetitions of a symbol length, into a plurality of groups or despread the bits of each of the plurality of groups to recover a plurality of symbol bits in a sequence, the sequence having a length corresponding to a length of the preamble code (col. 1, lines 41-50). Miller teaches, in a wireless communication system, that it is well known to interleave bits upon transmission in order to guard against errors (col. 12, lines 11-26). It would have been obvious to one of ordinary skill in the art at the time of the invention to recover the original signal by reversing the process taken to transmit the signal. As such, it would have been obvious to one of ordinary skill in the art at the time of the invention to de-interleave bits from the bitstream, to group corresponding bits from each of a plurality of repetitions of a symbol length, into a plurality of groups. Miller also teaches that it is well known to spread a signal by combining the signal with an external PN sequence in order to properly identify the base station (col. 10, lines 52-65; col. 11, lines 46-51; and col. 11, lines 57-62). It would have been obvious to one of ordinary skill in the art at the time of the invention to recover the original signal by reversing the process taken to transmit the signal. As such, it would have been obvious to one of ordinary skill in the art at the time of the invention to despread the bits of each of the plurality of groups to

recover a plurality of symbol bits in a sequence, the sequence having a length corresponding to a length of the preamble code.

23. Regarding claim 13, referring to claim 11, Scott in view of Miller suggests responsive to the correlating step identifying a code, initiating a connection with a wireless unit that transmitted the preamble (Miller: col. 10, lines 52-62).

24. Regarding claim 14, referring to claim 11, Scott in view of Miller suggests that the number of groups generated by the deinterleaving step corresponds to the length of the preamble code times a number of segments in the bitstream (number of repetitions times the length of the code) (Scott: col. 1, lines 41-50; col. 3, lines 58-60; col. 25, lines 33-44; col. 26, lines 8-14; and col. 51, lines 54-58 and Miller: col. 11, lines 57-62), where “corresponds” is a broad term which only requires some sort of relationship; wherein the despreading step recovers the plurality of symbol bits into a sequence having a length corresponding to the length of the preamble code times the number of segments (Scott: col. 1, lines 41-50; col. 3, lines 58-60; col. 25, lines 33-44; col. 26, lines 8-14; and col. 51, lines 54-58 and Miller: col. 11, lines 57-62) where “corresponds” is a broad term which only requires some sort of relationship; and wherein the correlating step comprises: correlating each of the corresponding symbol bits from each of the plurality of segments to identify the code (Scott: col. 26, lines 8-14).

25. Regarding claim 15, referring to claim 14, Scott in view of Miller suggests that the correlating step comprises summing the power of the corresponding symbol bits from each of the plurality of segments (Miller: col. 20, lines 20-37).

26. Regarding claims 17-19, referring to claim 14, Scott in view of Miller does not expressly disclose that the number of segments is four, eight, or two, with each segment having sixty-four

symbols, thirty-two symbols, or one hundred twenty eight symbols, respectively; however, Scott in view of Miller discloses a segment in the bitstream, since “a segment” can include any number of segments including one (Scott: col. 1, lines 41-50; col. 3, lines 58-60; col. 25, lines 33-44; col. 26, lines 8-14; and col. 51, lines 54-58 and Miller: col. 11, lines 57-62). It is generally considered to be within the ordinary skill in the art to adjust, vary, select, or optimize the numerical parameters or values of any system absent a showing of criticality in a particular recited value.

The burden of showing criticality is on applicant. In re Mason, 87 F.2d 370, 32 USPQ 242 (CCPA 1937); Marconi Wireless Telegraph Co. v. U.S., 320 U.S. 1, 57 USPQ 471 (1943); In re Schneider, 148 F.2d 108, 65 USPQ 129 (CCPA 1945); In re Aller, 220 F.2d 454, 105 USPQ 233 (CCPA 1055); In re Saether, 492 F.2d 849, 181 USPQ 36 (CCPA 1974); In re Antonie, 559 F.2d 618, 195 USPQ 6 (CCPA 1977); In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

Since Scott in view of Miller discloses at least one segment, any number of segments and its corresponding number of symbols, would have been obvious at the time of the invention, including four or eight, with each segment having sixty-four symbols or thirty-two symbols, respectively.

27. Regarding claim 47, Scott discloses a method of decoding a preamble from a remote transmitter, comprising the step of: receiving a first number of groups of signals having a second number of signals in each group from a data stream having a predetermined length (col. 25, lines 33-44); and correlating the first number of groups of signals with a code (col. 26, lines 3-14). Scott does not expressly disclose that the code has the second number of signals repeated the first number of times. Rather, Scott discloses correlating the first number of groups of signals with a code representing a single group of signals such that the system determines that the proper signal

is received when the correlator detects a first number of correlation signals (col. 26, lines 3-14). Examiner takes official notice that correlation is well known in the art as a means for determining how closely related an unknown signal and a known signal are. In Scott's system, as broadly defined, the transmitted signal is the first number of groups of signals. As such, as broadly defined, the known signal is the first number of groups of signals. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention that an equivalent method of determining if the unknown signal matches the known signal would be to have the known signal (code) comprise the second number of signals repeated the first number of times. Scott does not expressly disclose that the code corresponds to the remote transmitter. Miller teaches, in a wireless communication network, having a code correspond to a remote transmitter in order to allow identification of the remote transmitter (col. 10, lines 52-62). It would have been obvious to one of ordinary skill in the art at the time of the invention to have the code correspond to a remote transmitter in order to allow identification of the remote transmitter.

28. Regarding claim 48, referring to claim 47, Scott in view of Miller discloses that a product of the first and second numbers is equal to the predetermined length (Scott: col. 25, lines 33-44).

29. Regarding claim 49, referring to claim 48, Scott in view of Miller does not expressly disclose that the first number is 256, the second number is 16, and the predetermined length is 4096; however, Scott in view of Miller does disclose having a first number, a second number, and a predetermined length (Miller: col. 12, lines 11-26 and col. 13, lines 35-39 and Scott: col. 1, lines 41-50; col. 3, lines 58-60; col. 25, lines 33-44; col. 26, lines 8-14; and col. 51, lines 54-58). It is generally considered to be within the ordinary skill in the art to adjust, vary, select, or optimize the numerical parameters or values of any system absent a showing of criticality in a

Art Unit: 2665

particular recited value. The burden of showing criticality is on applicant. In re Mason, 87 F.2d 370, 32 USPQ 242 (CCPA 1937); Marconi Wireless Telegraph Co. v. U.S., 320 U.S. 1, 57 USPQ 471 (1943); In re Schneider, 148 F.2d 108, 65 USPQ 129 (CCPA 1945); In re Aller, 220 F.2d 454, 105 USPQ 233 (CCPA 1055); In re Saether, 492 F.2d 849, 181 USPQ 36 (CCPA 1974); In re Antonie, 559 F.2d 618, 195 USPQ 6 (CCPA 1977); In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). Since Scott in view of Miller discloses the a first number, a second number, and a predetermined length, it would have been obvious to one of ordinary skill in the art at the time of the invention to have the first number be any number, including 256, to have the second number to be any number, including 16, and to have the predetermined length to be any length, including 4096.

30. Regarding claim 50, referring to claim 47, Scott in view of Miller discloses that the code is a Walsh Hadamard code (Scott: col. 25, lines 33-44 and Miller: col. 11, lines 3-8).

31. Regarding claim 51, referring to claim 47, Scott in view of Miller suggests that the data stream comprises a scrambling code, and wherein the method comprises descrambling the data stream (Miller: col. 10, lines 52-62).

32. Regarding claim 52, referring to claim 51, Scott in view of Miller discloses that the data stream is a preamble having the predetermined length transmitted from a wireless transmitter to a wireless receiver in a cell, and wherein one of the plurality of codes corresponds to the wireless transmitter, and wherein the scrambling code corresponds to the cell (Scott: col. 25, lines 33-44 and Miller: col. 10, lines 52-62).

Art Unit: 2665

33. Regarding claim 53, referring to claim 52, Scott in view of Miller suggests that the code is a Walsh Hadamard code (Miller: col. 11, lines 3-8), and wherein the scrambling code is part of a Gold code (Scott: col. 10, lines 52-62 and Miller: col. 10, line 49-col. 11, line 8).

34. Regarding claim 54, referring to claim 47, Scott in view of Miller discloses that each group of the first number of groups is substantially identical (Scott: col. 25, lines 33-44).

35. Regarding claim 55, referring to claim 47, Scott in view of Miller suggests despreading the first number of groups of signals, thereby producing a plurality of despread signals (Scott: col. 1, lines 41-50; col. 3, lines 58-60; col. 25, lines 33-44; col. 26, lines 8-14; and col. 51, lines 54-58 and Miller: col. 11, lines 57-62).

36. Regarding claim 56, referring to claim 55, Scott in view of Miller suggests correlating the despread signals with the code having the second number of signals repeated the first number of times (Scott: col. 25, lines 33-44 and col. 26, lines 3-14).

37. Claims 30-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miller (USPN 5,608,722) in view of Scott et al. (USPN 6,154,486).

38. Regarding claim 30, Miller discloses in one embodiment extracting a first number of groups of signals having a second number of signals in each group from a data stream having a predetermined length (repeated versions of a signal) (col. 12, lines 11-26) where the first number of groups containing a second number of signals are formed in order to guard against errors. Miller discloses in another embodiment applying one signal from each group of a plurality of groups to each respective despreader circuit of a second number of despreader circuits, each despreader circuit producing a respective output signal (Fig. 2 and col. 13, lines 35-39) in order to combine repeated versions of a signal into a single signal, where as broadly defined, the

Art Unit: 2665

combiner has a second number of circuits, one for each bit of the combined signal. Thus, Miller suggests extracting a first number of groups of signals having a second number of signals in each group from a data stream having a predetermined length and applying one signal from each group of a plurality of groups to each respective despreaders circuit of a second number of despreaders circuits, each despreaders circuit producing a respective output signal in order to properly combine a plurality of repetitions of a signals into a single signal. Miller does not expressly disclose comparing the second number of output signals to a plurality of codes. Scott teaches, in a wireless communication system, comparing a repeated output signal to a plurality of codes in order to identify the output signal (col. 26, lines 4-14). It would have been obvious to one of ordinary skill in the art at the time of the invention to compare the second number of output signals to a plurality of codes in order to identify the output signal.

39. Regarding claim 31, referring to claim 30, Miller in view of Scott discloses that a product of the first and second numbers is equal to the predetermined length (Miller: col. 12, lines 11-26 and col. 13, lines 35-39).

40. Regarding claim 32, referring to claim 31, Miller in view of Scott does not expressly disclose that the first number is 256, the second number is 16, and the predetermined length is 4096; however, Miller in view of Scott does disclose having a first number, a second number, and a predetermined length (Miller: col. 12, lines 11-26 and col. 13, lines 35-39 and Scott: col. 1, lines 41-50; col. 3, lines 58-60; col. 25, lines 33-44; col. 26, lines 8-14; and col. 51, lines 54-58). It is generally considered to be within the ordinary skill in the art to adjust, vary, select, or optimize the numerical parameters or values of any system absent a showing of criticality in a particular recited value. The burden of showing criticality is on applicant. In re Mason, 87 F.2d

Art Unit: 2665

370, 32 USPQ 242 (CCPA 1937); Marconi Wireless Telegraph Co. v. U.S., 320 U.S. 1, 57 USPQ 471 (1943); In re Schneider, 148 F.2d 108, 65 USPQ 129 (CCPA 1945); In re Aller, 220 F.2d 454, 105 USPQ 233 (CCPA 1055); In re Saether, 492 F.2d 849, 181 USPQ 36 (CCPA 1974); In re Antonie, 559 F.2d 618, 195 USPQ 6 (CCPA 1977); In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). Since Miller in view of Scott discloses the a first number, a second number, and a predetermined length, it would have been obvious to one of ordinary skill in the art at the time of the invention to have the first number be any number, including 256, to have the second number to be any number, including 16, and to have the predetermined length to be any length, including 4096.

41. Regarding claim 33, referring to claim 30, Miller in view of Scott discloses that the plurality of codes are Walsh Hadamard codes (Miller: col. 11, lines 3-8 and Scott: col. 25, lines 33-44).

42. Regarding claim 34, referring to claim 30, Miller in view of Scott discloses producing a signal corresponding to a match between the second number of output signals and one of the plurality of codes (Scott: col. 26, lines 4-14).

43. Claims 12, 23, and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Scott et al. (USPN 6,154,486) in view of Miller (USPN 5,608,722) in further view of Bottomley (USPN 5,237,586).

44. Regarding claims 12 and 23, referring to claim 11, Scott in view of Miller does not expressly disclose that the de-interleaving step comprises: applying the bitstream into a sequence of tapped delay lines; and grouping corresponding taps from each of the tapped delay lines. Bottomley teaches, in a wireless communication system, using tapped delay lines to be able to

Art Unit: 2665

search for a signal that has an arrival time delay (col. 4, lines 5-18). It would have been obvious to one of ordinary skill in the art at the time of the invention to use tapped delay lines in order to search for a signal that has an arrival time delay.

45. Regarding claim 24, referring to claim 23, A Scott in view of Miller in further view of Bottomley discloses that the plurality of orthogonal codes corresponds to a set of Walsh Hadamard codes (Miller: col. 11, lines 3-8).

46. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Scott et al. (USPN 6,154,486) in view of Miller (USPN 5,608,722), as applied to claim 14 above, and further in view of Yoon et al (USPN 5,790,537).

47. Regarding claim 16, referring to claim 14, Scott in view of Miller does not expressly disclose that the correlating step comprises deriving a difference value of the corresponding symbol bits from each of the plurality of segments. Yoon teaches, in a wireless communication system, deriving a difference value of the corresponding symbol bits from each of the plurality of segments as a way to perform correlation (col. 14, lines 60-66). It would have been obvious to one of ordinary skill in the art at the time of the invention to derive a difference value of the corresponding symbol bits from each of the plurality of segments as a way to perform correlation.

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel J. Ryman whose telephone number is (703)305-6970. The examiner can normally be reached on Mon.-Fri. 7:00-5:00 with every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy Vu can be reached on (703)308-6602. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Daniel J. Ryman
Examiner
Art Unit 2665

Dm
Daniel J. Ryman



HUY D. VU
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600